


Stage Number	1
Targets (type and number)	8 IPSC Targets,2 Mini Poppers , 4 Plates
Minimum number of rounds	22
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard.
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal.
Procedure	After start signal engage all targets. Safety angles 90 degrees left/right
	and top of the backstop.
	Mini Popper P1 activates Target T3, Mini Popper P2 activates Target T5.
	All moving targets stays visible at end of their movement.




Stage Number	2
Targets (type and number)	10 IPSC Targets, 4 Mini Poppers, 2 NS.
Minimum number of rounds	24
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard.
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal
Procedure	After start signal engage all targets from designated area.
	Safety angles 90 degrees left/right and top of the backstop.
	Mini Popper P1 activates IPSC Target T5.
	Mini Popper P4 activates IPSC Target T6.
	All moving targets stays visible at end of their movement.




Stage Number	3	
Targets (type and number)	8 IPSC Targets, 1 Mini Popper, 5 Plates, 2 NS.	
Minimum number of rounds	22	
Start Position	Sitting in the chair, back touching chair back, hands along the torso .	
Firearm Ready Condition	Option 2 ,lying on knees, hands not touching the weapon.	
Time	Audible signal	
Procedure	After start signal engage all targets from designated area.	
	Safety angles 90 degrees left/right and top of the backstop.	
	Mini Popper P1 activates Target T5.	
	All moving targets stays visible at end of their movement.	




Stage Number	4
Targets (type and number)	4 IPSC Targets, 4 Plates, 2 NS.
Minimum number of rounds	12
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard.
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal
Procedure	After start signal engage all targets from designated area. Safety angles 90 degrees left/right and top of the backstop.




Stage Number	5
Targets (type and number)	4 IPSC targets,1 Mini Popper 1, 3 Plates.
Minimum number of rounds	12
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard.
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal
Procedure	At the start signal engage targets.
	Safety angles 90 degrees left/right and top of the backstop.
	IPSC Mini Popper P1 activates IPSC Target T1. All moving targets stays visible at end of their movement.
	Window is opened, by pulling the rope. Window can be hold, with help of any part of body.



Stage Number	6
Targets (type and number)	15 IPSC Targets, 8 IPSC Mini Poppers.
Minimum number of rounds	38
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard.
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal
Procedure	After start signal engage all targets from designated ,,A"area.
	Safety angles 90 degrees left/right and top of the backstop.
	Mini Popper P1 activates IPSC Target T4,rises IPSC TargetT5.
	Mini Popper P4 rises IPSC Target T7, Mini Popper P6 rises IPSC Target T9. Mini Popper P8 activates
	IPSC Target T10. All moving targets stays visible at end of their movement.




Stage Number	7
Targets (type and number)	15 IPSC Targets, 2 IPSC Mini Poppers, 6 IPSC Plates, 2 NS.
Minimum number of rounds	38
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard.
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal
Procedure	After start signal engage all targets from designated area.
	Safety angles 90 degrees left/right and top of the backstop.
	Mini Popper P1 activates IPSC Target T3.
	Mini Popper P2 activates IPSC Target T13.
	All moving targets stays visible at end of their movement.




Stage Number	8
Targets (type and number)	9 IPSC Targets, 1 IPSC Mini Popper, 1 IPSC Plate, 2 NS.
Minimum number of rounds	11
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal
Procedure	After start signal engage all targets from designated ,,A"area.
	Safety angles 90 degrees left/right and top of the backstop.
	Mini Popper P1 activates IPSC Target T3.
	All moving targets stays visible at end of their movement.
	ONLY ONE SHOOT PER TARGET.
T1 T2	HARD COVER P1

T9


Stage Number	9
Targets (type and number)	4 IPSC Targets, 4 IPSC Mini Poppers, 3 No shoots.
Minimum number of rounds	12
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard.
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal.
Procedure	After start signal engage all targets from designated area.
	Safety angles 90 degrees left/right and top of the backstop.
	Mini Popper P1 activates IPSC Target T2.
	Mini Popper P4 activates IPSC Target T3.
	All moving targets stays visible at end of their movement.



Stage Number	10
Targets (type and number)	4 IPSC Targets, 4 IPSC Mini Poppers, 2 NS (Mini Poppers).
Minimum number of rounds	12
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard.
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal
Procedure	After start signal engage all targets from designated area.
	Safety angles 90 degrees left/right and top of the backstop.
	Mini Popper P1 activates IPSC Target T2.
	Mini Popper P3 activates IPSC Target T3.
	All moving targets stays visible at end of their movement.



Stage Number	11
Targets (type and number)	4 IPSC Targets, 1 IPSC Mini Popper, 2 MrcSchordtates.
Minimum number of rounds	12
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard.
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal
Procedure	After start signal engage all targets from designated area.
	Safety angles 90 degrees right/left and top of the backstop.
	IPSC Mini Popper P1 activates IPSC Target T3 and rises IPSC target T2. All moving targets stays visible at end of their movement.



Stage Number	12
Targets (type and number)	4 IPSC Mini Targets, 4 IPSC Mini Popper, 2NS.
Minimum number of rounds	12
Start position	Standing anywhere in the designated area. Standing erect, with the firearm in the ready condition, held in both hands, stock touching the competitor at hip level, barrel parallel to the ground, trigger guard downwards, muzzle pointing downrange with the fingers outside the trigger guard.
Firearm Ready Condition	Firearm loaded (Option 1)
Time	Audible signal
Procedure	After start signal engage all targets.
	Safety angles 90 degrees right/left and top of the backstop.
	IPSC Mini Popper P2 activates IPSC Target T2.
	IPSC Mini Popper P3 activates IPSC Target T3.
	All moving targets stays visible at end of their movement.

